

Cabinet Hardware



by

STANLEY

CATALOG F-100

Solid Brass

WHEN ORDERING SPECIFY: Class number, finish symbol, and size.
Example: No. 4482CM 1 1/4" (For finish symbols see back cover)



No. 4401
(Backplate)



No. 4496 KNOB 1-1/16" diam.
Solid Brass-Finishes
A5-C-F-CM-CMD
One in envelope with screws
One doz. in a box; 1 lb.



No. 4452
(Pull)



No. 4496 KNOB 1-1/4" diam.
Solid Brass-Finishes
A5-C-F-CM-CMD
One in envelope with screws
One doz. in a box; 1 1/2 lbs.



No. 4453

No. 4452 PULL
Solid Brass-Finishes A5-C-F-CM-CMD
2 1/2" centers, 4 1/2" overall. One in envelope with screws
One doz. in a box; 1 1/2 lbs.

No. 4401 BACKPLATE
Wrought Brass-Finishes A5-C-F-CM-CMD
1 1/2" x 4 1/2". One in envelope. Two doz. in a box; 1 lb.

No. 4456 PULL
Solid Brass-Finishes A5-C-F-CM-CMD
3" centers, 3 1/2" overall. One in envelope with screws
One doz. in a box; 1 1/2 lbs.

No. 4455 PULL
Solid Brass-Finishes A5-C-F-CM-CMD
2 1/2" centers, 3" overall. One in envelope with screws
One doz. in a box; 1 1/2 lbs.



No. 4496 KNOB
1-1/2" diam.
Solid Brass-Finishes
A5-C-F-CM-CMD
One in envelope
with screws
One doz. in a box;
1 1/2 lbs.

No. 4406
BACKPLATE
2 1/2" diam.
Wrought
Brass-Finishes
A5-C-F-CM-CMD
One in envelope
Two doz. in a box;
1 lb.



No. 4471 KNOB
Wrought Brass-Finishes A5-C-F-CM-CMD
Diameter 1 1/4". One in envelope with screws
One doz. in a box; 1/2 lb.



No. 4463 1/2" PULL
Wrought Brass-Finishes A5-C-F-CM-CMD
2 1/2" centers, 4 1/2" overall. One in envelope with screws
One doz. in a box; 1 1/2 lbs.
For same pull in steel see page 4



WROUGHT
BRASS COVER 2-1/2" (HID)
For barrel of hinges
1543, 1544, and 1545.
Finishes
A5-C-F-CM-CMD
(See details at right)

FULL SURFACE



Wrought Brass-
Finishes
A5-C-F-CM-CMD



*No. 1539 1/2




*No. 1529 1/2



SEMI-CONCEALED


Wrought Brass-
Finishes
A5-C-F-CM-CMD



*No. 1527 1/2




*No. 1524 1/2



*No. 1526 1/2



*No. 1537 1/2



*No. 1538 1/2

Aluminum

by

STANLEY



No. 4482 KNOB 1-1/16" diam.
Solid Aluminum Finish AID
or Solid Brass Finishes
ASC-F-CM-CMD
One in envelope with screws
One doz. in a box, wt.
ALUM. 3/4 lb., BRASS 1 lb.



No. 4482 KNOB 1-1/4" diam.
Solid Aluminum Finish AID
or Solid Brass Finishes
ASC-F-CM-CMD
One in envelope with screws
One doz. in a box, wt.
ALUM. 1/2 lb., BRASS 1 1/4 lbs.



No. 4482 KNOB
1-1/2" diam. Solid
Aluminum Finish
AID or Solid Brass
Finish ASC-F-
CM-CMD. One in
envelope with
screws. One doz. in
a box, wt. ALUM.
1 lb., BRASS 1 1/2 lbs.

No. 4405 BACKPLATE
2 1/2" diam. Wrought
Aluminum Finish
AID or Wrought
Brass Finishes
ASC-F-CM-CMD
One in envelope
Two doz. in a box,
wt. ALUM. 3/4 lb.,
BRASS 1 lb.



No. 4477
(Pull)



No. 4478
(Pull)

No. 4479

No. 4479

No. 4477 PULL

2 1/2" centers, 4" overall. Solid Aluminum Finish AID or Solid
Brass Finishes ASC-F-CM-CMD. One in envelope with screws
One doz. in a box, wt. ALUM. 1 lb., BRASS 1 1/2 lbs.

No. 4405 BACKPLATE

1 1/2" x 3 1/2" Wrought Aluminum Finish AID or Wrought
Brass Finishes ASC-F-CM-CMD. One in envelope
Two doz. in a box, wt. ALUM. 3/4 lb., BRASS 1 lb.

No. 4478 PULL

3" centers, 2 1/2" overall. Solid Aluminum Finish AID or Solid
Brass Finishes ASC-F-CM-CMD. One in envelope with screws
One doz. in a box, wt. ALUM. 3/4 lb., BRASS 1 1/2 lbs.

No. 4479 PULL


3 1/2" centers, 3 1/2" overall. Solid Aluminum Finish AID or Solid
Brass Finishes ASC-F-CM-CMD. One in envelope with screws
One doz. in a box, wt. ALUM. 3/4 lb., BRASS 1 1/2 lbs.

ONLY THE BARREL COVER SHOWS WHEN DOOR IS CLOSED




WROUGHT ALUMINUM COVER 2-1/2" HIGH


for Barrel of hinges
1343, 1344, 1345
FINISH AID
(See details at right)



**No. 1343
BUTT HINGE**
2" x 1 1/2"
An ideal hinge for
fine cabinet work.



**No. 1344 FOR
PLYWOOD DOORS**
2" high. Standard for
doors 1/2" thick
available for doors
3/4", 1", 1 1/4" thick.



**No. 1345 FOR
UPPED DOORS**
2" high. Standard for
1/2" doors. Available for
3/4", 1", 1 1/4" doors.

Only the barrel cover shows
when door is closed.
One pair in envelope with screws.
One doz. pair in a box.
Wt. full numbers! 2 lbs.


HOW TO SPECIFY:

The barrel covers are supplied as part of the
hinge. Specify hinge number and finish desired
on the barrel cover. The inner frame is steel
with a beautiful enameled finish which also serves
as an excellent prime coat for painting.


ONLY THE BARREL SHOWS WHEN DOOR IS CLOSED:




Barrel of
hinge 1343
Hinges 1344 1/2
and 1345 1/2
have no
bottom lip!



No. 1345
2" x 1 1/2"
2 1/2" x 1 1/4"



No. 1344 1/2
1 1/2" high or
2 1/2" high (specify)
For 1/2" door
Also for 3/4", 1", 1 1/4"
doors.



No. 1345 1/2
1 1/2" high
3/4" inset

To obtain this hinge in steel specify 282 or 293 (See page 7 for further details). Sizes, weights
and packing are the same for both steel and brass.

Catches, Knobs, Pulls.



No. 374

Steel — Bright Zinc Plated. Tempered spring steel prevents breakage. Marking dogs on screw holes locate catch automatically. One in envelope with screws. Two dozen in a box — 1 lb.



No. 34M

Steel — Bright Nickel Plated. Jaws of catch automatically adjust with strike. Springs properly locate strike for accurate installation. One in envelope with screws. Two dozen in box — 1 1/4 lbs.




No. 39K

Steel — Bright Zinc Plated. "Floating" strike allows for warping or shrinkage of door. One in envelope with screws. Two dozen in a box — 1 lb.



No. 36N

Steel — Bright Nickel Plated. A positive catch for the inactive leaf of a pair of doors. Elongated screw holes for easy adjustment. One in envelope with screws. Two dozen in a box — 1 lb.



No. 10C

Brass Case, Bright Brass Finish. Steel Strike and plunger. Tapered case for quick, easy application. One gross in box with nails — 1 1/2 lbs.



No. 33K — Steel, Bright Zinc Plated



No. 33KC — Brass, Bright Brass Finish

One in envelope with screws. Two dozen in box — 1 1/4 lbs.



No. 38K

Steel — Bright Zinc Plated. Rubber Roller prevents misalignment. One in envelope with screws. Two dozen in box — 2 lbs.



MAGNETIC CATCH



No. 40ALD

"Floating" magnet adjusts for warping or shrinking of door. Anodized aluminum case. Steel strike case plated. One in envelope with screws. One dozen in box — 2 lbs.



No. 4467CM PULL

Steel — Bright Chrome Finish. 3 1/2" centers, 4" overall. One in envelope with screws. One dozen in box — 1/2 lb.



No. 4466CM PULL

Steel — Bright Chrome Finish. 2 1/2" centers, 4" overall. One in envelope with screws. One dozen in a box — 1/2 lb.



No. 4471 KNOB

Brass — Finish AS-C-F-CM-CM. 1 1/4" diameter. One in envelope with screws. One dozen in box — 1/2 lb.



No. 4463 PULL

Steel — Finish AS-C-F-CM-CM. 2 1/2" centers, 4 1/4" overall. One in envelope with screws. One dozen in a box — 1 1/2 lbs. For some pull in brass see page 2



Hinges, Ensembles MATCHED *by* **STANLEY**



No. 4430 KNOBS

Wrought Brass, Bronze and Stainless Steel tops — Finishes A3-C-F-CM-CMD. One in envelope with screws. One dozen per box. 1 1/2" Diam. Wt. 1 lb. 2" Diam. Wt. 1 1/2 lbs. 2 1/2" Diam. Wt. 2 lbs.

No. 4410 BACKPLATES

Wrought Brass, Bronze and Stainless Steel — Finishes A3-C-F-CM-CMD. One in envelope. Two-dim. per box. 2 1/2" Diam. Wt. 1 lb. 3" Diam. Wt. 1 1/2 lbs. 3 1/2" Diam. Wt. 1 3/4 lbs.




No. 4491CM KNOB

1 1/2" Diam. Pressure Cast Alloy — Bright Chrome Finish. One in envelope with screws. One dozen in box = 1 1/4 lbs.



No. 4420CM x CM LATCH

Pressure Cast Alloy — Bright Chrome Finish. For doors 1/2" to 1 1/2" thick. Length of handle 4 1/2". One in envelope with screws. 1/2 dozen in box = 1 1/4 lbs.



No. 4419CM PULL

Pressure Cast Alloy — Bright Chrome Finish. One in envelope with screws. 2 1/2" centers, 4 1/2" overall. One dozen in box = 2 1/4 lbs.



No. 4420CM PULL

Pressure Cast Alloy — Bright Chrome Finish. 2 1/2" centers, 3 1/2" overall. One in envelope with screws. One dozen in box = 2 1/4 lbs.

FULL SURFACE HINGES



No. 1329 For Right doors



No. 1329 For Left doors with 1/4" lip

STEEL — Finishes A3-C-F-CM-CMD. Length of post 2 1/2". Length of barrel 1 1/2". One pair in envelope with screws. One dozen pair in box = 1 1/4 lbs.

For similar hinges in solid brass see page 2.



No. 4492 CM KNOB

1 1/2" Diam. Pressure Cast Alloy — Bright Chrome Finish. One in envelope with screws. One dozen in box = 1 1/4 lbs.



No. 4424CM PULL

Pressure Cast Alloy — Bright Chrome Finish. 2 1/2" centers, 3 1/2" overall. One in envelope with screws. One dozen in box = 1 1/4 lbs.



No. 4424CM x CM LATCH

Pressure Cast Alloy — Bright Chrome Finish. For doors 1/2" to 1 1/2" thick. Length of handle 3 1/2". One in envelope with screws. 1/2 dozen in box = 1 1/4 lbs.




No. 4487CM KNOB

1 1/2" Diam. Brass — Bright Chrome Finish. One in envelope with screw. One dozen in box = 1 1/4 lbs.



No. 4419CM PULL

Steel — Bright Chrome Finish. 2 1/2" centers, 4 1/2" overall. One in envelope with screws. One dozen in box = 1 1/4 lbs.



No. 4429CM x BK LATCH

Steel — Bright Chrome Finish. Satin black plastic backplate. For doors 1/2" to 1 1/2" thick. Length of handle 4 1/2". One in envelope with screws. 1/2 dozen in box = 1 1/4 lbs.



S-T-R-E-A-M-L-I-N-E-D Hinges.

Matching pad designs for all details assure uniform appearance for all cabinets.

No. 1527*

Steel — Finishes P-A-S-C-F-C-M-C-M-D. For lipped doors. STANDARD FOR $\frac{1}{4}$ " INSET. Length of pad: $2\frac{1}{2}$ ". Length of barrel: $1\frac{1}{2}$ ". Available for $\frac{1}{8}$ "- $\frac{3}{4}$ "- $\frac{1}{2}$ " insets. One pair in envelope with screws. One dozen pairs in box — $2\frac{1}{2}$ lbs.



No. 1534*

Steel — Finishes P-A-S-C-F-C-M-C-M-D. For lipped doors with inset of $\frac{1}{4}$ " or more. Length of pad: $2\frac{1}{2}$ ". Length of barrel: $1\frac{1}{2}$ ". One pair in envelope with screws. One dozen pairs in box — $2\frac{1}{2}$ lbs.



No. 1538*

Steel — Finishes P-A-S-C-F-C-M-C-M-D. For lipped doors without any inset. Special screws for doors $\frac{1}{8}$ " thick. Length of pad: $2\frac{1}{2}$ ". Length of barrel: $1\frac{1}{2}$ ". One pair in envelope with screws. One dozen pairs in box — $2\frac{1}{2}$ lbs.



No. 1536*

Steel — Finishes P-A-S-C-F-C-M-C-M-D. For flush doors $\frac{1}{8}$ " thick. Length of pad: $2\frac{1}{2}$ ". Length of barrel: $1\frac{1}{2}$ ". One pair in envelope with screws. One dozen pairs in box — $2\frac{1}{2}$ lbs.



No. 1537*

Steel — Finishes P-A-S-C-F-C-M-C-M-D. For flush doors $\frac{1}{8}$ " or more thick. Length of pad: $2\frac{1}{2}$ ". Length of barrel: $1\frac{1}{2}$ ". One pair in envelope with screws. One dozen pairs in box — $2\frac{1}{2}$ lbs.




FIT EVERY DETAIL

by

STANLEY


Raised barrel on all hinges for tipped doors allows full 180 degree swing



No. 1535*

Steel — Finish: P.A.S.C.-P.C.M.-C.R.D.
1/2" INSEL


Both leaves concealed when door is closed; only the door barrel shows. Spacing pins for quick, accurate installation. Length of barrel 1 1/2". One pair in envelope with screws. One dozen pair in a box — 2 1/2 lbs.



No. 1534** Two Sides


1 1/2" high for light cabinet doors, 2 1/2" high for larger cabinets and wardrobes. Standard for doors 1/2" thick. Available for doors 1/2-1 1/4" thick. Lower pin permits easy installation. Steel — Finish: P.A.S.C.-P.C.M.-C.R.D. One pair in envelope with screws. One dozen pair in box — 1 1/2 lbs. — 2 1/2 lbs. 2 1/2" size — 6 lbs.

NOTE: Also available with fast pins. Specify 1535.



No. 202P — Steel, prime coated for painting

No. 2051 — Steel, Finish: P.A.S.C.-P.C.M.-C.R.D.
2" x 1 1/4" for light cabinet doors, 2 1/2" x 1 1/4" for larger cabinets and wardrobes. One pair in envelope with screws. One dozen pair in box — 2" — 2 1/2 lbs. 2 1/2" — 3 1/2 lbs.



No. 333

Steel — Finish: P.A.S.C.-K. For 1/2" doors that completely overlap frame. No vertical pins required. Only pin shows when door is closed. Spacing pins and elongated screw holes for quick, accurate installation. One pair in envelope with screws. One dozen pair in a box — 2 1/2 lbs.



No. 334

Steel — Finish: P.A.S.C.-K. For 1/2" doors that completely overlap frame. No horizontal pins required. Only pin shows when door is closed. Elongated screw holes for quick, accurate installation. One pair in envelope with screws. One dozen pair in a box — 2 1/2 lbs.

RANCH CRAFT®

FOR *Full Size* INTERIOR DOORS


A distinctive new style. Created for today's living.




**No. 33F3
ROLLER LATCH**
Face plate $2\frac{1}{2}'' \times 1''$
Stroke $2\frac{1}{2}'' \times 1\frac{1}{2}''$
Hole required in door
 $\frac{5}{8}'' \times 2\frac{1}{2}''$. One dozen
per box — 2½ lbs.



**No. 4314
HANDSET**
For room doors
where the grip is
desired on push
side of door.




**No. 4315
HANDSET**
For closets and other
doors where the grip
is desired on pull
side of door. Length
overall 9". Grip $4\frac{1}{2}''$
Projection $1\frac{1}{2}''$. One
set in a box with
screws. Six sets in a
carton — 4½ lbs.




**No. 241F3
RANCH CRAFT HINGE**
One pair in a box with screws
 $2\frac{1}{2}'' \times 2\frac{1}{2}''$ — 1½ lbs. per pair
 $4'' \times 4''$ — 1½ lbs. per pair
Other sizes on order

No. 4317 DOOR PULL
Length overall 9". Grip $4\frac{1}{2}''$. Projection
 $1\frac{1}{2}''$. One in a box with screws.
Six in a carton — 2 lbs.



No. 4316 DUMMY STRAP For use with No. 241F3 hinges. 3 pairs in a box — 2½ lbs.



No. 4313 STRAP HINGE Door length $12'' \pm 1\frac{1}{2}''$. Push $3'' \times 1\frac{1}{2}''$. One pair in box with
screws. Six pairs in carton — 12½ lbs. For same details as 4313, see next page.



**RANCHCRAFT HAS
A SOFT, BRITNY
OLD BRASS
APPEARANCE**

RANCH CRAFT[®] *by* STANLEY

FOR CABINETS

TWO THEMES: Straps for subdued effects, hardware for accent and variety.



SURFACE LATCH

No. 4302 — Flush.
No. 4303 — For $\frac{1}{2}$ " lip.
Size overall: 3" x $2\frac{1}{4}$ ". One in box with
pyramidal screws. One dozen in carton —
2½ lbs.



RING PULL or DOOR KNOCKER

No. 4301 — Size overall: $2\frac{1}{4}$ " x $2\frac{1}{2}$ ".
One in a box with pyramidal screws.
One dozen in carton — 4 lbs.



SURFACE HINGE

No. 4304 — Flush.
No. 4305 — For $\frac{1}{2}$ " lip.
Size overall: $2\frac{1}{4}$ " x $2\frac{1}{2}$ ".
One pair in box with pyramidal screws.
One dozen pairs in carton — 3½ lbs.



**No. 4306
CABINET LATCH**

For doors $\frac{1}{2}$ " to $1\frac{1}{2}$ " thick.
Size overall: 4" x $1\frac{1}{2}$ ".
One set in box with pyramidal
screws. ½ dozen in
carton — 2½ lbs.



No. 4309
Knob $1\frac{1}{2}$ " diam. One in box with
screws. One dozen in carton — 1 lb.



No. 4307



No. 4308

PULLS

No. 4307 — $3\frac{1}{2}$ " center, $4\frac{1}{2}$ " overall.
No. 4308 — $4\frac{1}{2}$ " center, 5" overall.
One in a box with screws.
One dozen in carton. No. 4307 — 7½ lbs.
No. 4308 — 7½ lbs.




No. 4310 HINGE

Standard with $\frac{1}{2}$ " inset.
Available with $\frac{1}{4}$ ", $\frac{3}{8}$ ", $\frac{1}{2}$ " inset.
Length of pad: 2". Length of barrel:
 $1\frac{1}{2}$ ". One pair in box with screws.
One dozen pairs in carton — 2½ lbs.




Regular 4310


Also available to suit
these details — specify:




4334



4338



4336



4337



STRAP HINGES

No. 4312 — For $\frac{1}{2}$ " lipped doors. No. 4311 — For Flush Doors

Door leaf: $6\frac{1}{2}$ " x 1"
Pad: 1½" x $\frac{1}{2}$ "
One pair in box with
screws. ½ dozen pair in
carton — 2½ lbs.
Either half or full surface

All Ranch Craft items
are made from wrought
steel, toughened and
hardened by cold rolling.



4311 Details

RUSTIC IRON

FOR *Full Size* INTERIOR DOORS

All items available with smooth surface and prefix W (J) finish only



HANDLESET

No. W1243 — Trim A
No. W1243J — Trim B
Length: 8 1/2", Grip: 2 1/4", Projection: 1 1/2"
One set in envelope with pyramid screws. 1/2 dozen sets in box — 4 lbs.



No. W1233 PULL
Length: 8 1/2", Grip: 2 1/4", Projection: 1 1/2"
One in envelope with pyramid screws. One dozen in box — 2 lbs.



HANDLESET

No. W1236 — Trim A
No. W1236J — Trim B
Length: 7 1/2", Grip: 2 1/4", Projection: 1 1/2"
One set in envelope with pyramid screws. 1/2 dozen sets in box — 4 1/2 lbs.



No. W1256 PULL
Specify 6" steel
Length: 6", Grip: 2", Projection: 1 1/2"
One in envelope with pyramid screws. One dozen in box — 2 lbs.



HANDLESET

No. W1237 — Trim A
No. W1237J — Trim B
Length: 8", Grip: 2 1/4", Projection: 1 1/2"
One set in envelope with screws. 1/2 dozen sets in box — 4 1/2 lbs.



No. W1278 PULL
Specify 6" steel
Length: 6", Grip: 2 1/4", Projection: 1 1/2"
One in envelope with pyramid screws. One dozen in box — 2 1/2 lbs.



TRIM A

For inward doors where grip is dovetailed on push side of door.

FINISHES

ANTIQUE COPPER

(Suffix D3 to class number)

ANTIQUE BLACK

(Suffix J1 to class number)



TRIM B

For doors and other doors where grip is dovetailed on pull side of door.




No. W1191 BOLT

For latch doors, etc. Two sizes: 4" and 6"
Furnished with both surface and universal strikes. One in envelope with pyramid screws. All sizes packed 1 dozen, weight 6 lbs.



No. W1190 BOLT

Three sizes: 2", 4", and 6"
Furnished with universal, angle and surface strikes. One in envelope with pyramid screws. All sizes packed 3 dozen, weight 3 1/2 lbs., 4 1/4 lbs., or 5 lbs.



No. W241 HINGE

One side is a box with screws. 2 1/2" x 3 1/2" 1 1/2 lbs. per pair. 4" x 4" 2 1/2 lbs. per pair.



No. W1857 — 12" DUMMY STRAP

One pair in envelope with pyramid head screw. 1/2 dozen pair in a box — 2 1/2 lbs. For use with No. 241 hinge shown at left.



No. W1239 LATCH — BRASS KNOB
Length overall: 4 1/2". One in envelope with pyramid screws. One dozen in box: 1 1/2 lbs.

All Rustic iron items are made from wrought steel toughened and hardened by cold rolling.

RUSTIC IRON FOR CABINETS


by

STANLEY



No. W555 HINGE

Standard with $\frac{1}{4}$ " steel.
Available with $\frac{1}{2}$ " x $\frac{1}{4}$ " x $\frac{1}{4}$ " steel.
Length of barrel: $1\frac{1}{2}$ ". Length
of post: $3\frac{1}{2}$ ". One pair in envelope
with pyramid screws. One dozen
pairs per box — 2 $\frac{1}{2}$ lbs.



W555

Also available to suit
these details — specify:



W534

W536

W538

W537



No. W4374 LATCH

Length: $4\frac{1}{2}$ ". Grip: $2\frac{1}{4}$ ". Projection: $\frac{1}{2}$ ".
One in envelope with
pyramid screws. One
dozen in a box — 3 lbs.



No. W1274 PULL

Length: $4\frac{1}{2}$ ". Grip: $2\frac{1}{4}$ ". Projection: $\frac{1}{2}$ ".
One in envelope with
pyramid screws.
One dozen in a box — 3 lbs.



No. W4476 KNOB

Two sizes: $1\frac{1}{2}$ " and $1\frac{3}{4}$ ".
Diam. One in envelope
with screw.
One dozen in a box —
 $1\frac{1}{2}$ to $1\frac{3}{4}$ lbs.
 $1\frac{1}{2}$ " — $1\frac{1}{4}$ lbs.
 $1\frac{3}{4}$ " — $1\frac{1}{2}$ lbs.



PULL

No. W4415

No. W4415 $\frac{1}{2}$ " — Brass Ring.
Size: $2\frac{1}{2}$ " x $1\frac{1}{4}$ ". One in envelope
with pyramid screws. One dozen
in a box — $1\frac{1}{4}$ lbs.



No. W277 HINGE

Size: $1\frac{1}{2}$ " x $1\frac{1}{4}$ ".
One pair in
envelope with
pyramid screws.
One dozen pair in
a box — $2\frac{1}{4}$ lbs.

No. W1256 PULL (Specify $4\frac{1}{2}$ " steel)
 $4\frac{1}{2}$ " overall. Grip: $2\frac{1}{4}$ ". Projection: $\frac{1}{2}$ ".
One in envelope with pyramid screws.
One dozen in a box — $\frac{1}{2}$ lb.




No. W1254 PULL

Length: $5\frac{1}{4}$ ". Grip: $2\frac{1}{4}$ ". Projection: $\frac{1}{2}$ ".
One in envelope with pyramid screws.
One dozen in a box — $\frac{1}{2}$ lb.



No. W1278 PULL (Specify $3\frac{1}{2}$ " steel)
Length: $3\frac{1}{2}$ ". Grip: $2\frac{1}{4}$ ". Projection: $\frac{1}{2}$ ".
One in envelope with pyramid screws.
One dozen in a box — $\frac{1}{2}$ lb.



LATCH

No. W1121 — $3\frac{1}{2}$ "

Also available for $\frac{1}{2}$ "
lipped doors. One in
envelope with pyramid screws.
One dozen in a box: $1\frac{1}{2}$ lbs.



No. W389 HINGE

One pair in
envelope with
screws. One dozen
pair in a box —
 $2\frac{1}{2}$ x $2\frac{1}{2}$ — 3 lbs.
 $2\frac{1}{2}$ x $2\frac{1}{2}$ —
 $3\frac{1}{2}$ lbs.



LATCH

No. W1124 $\frac{1}{2}$ "

No. W1124 $\frac{1}{2}$ " — Brass Knob


Two sizes: $2\frac{1}{2}$ " and $3\frac{1}{2}$ ".
Also available for $\frac{1}{2}$ "
lipped doors. One in
envelope with pyramid screws.
One dozen in a box:
 $2\frac{1}{2}$ x $1\frac{1}{4}$ lbs. $3\frac{1}{2}$ x $1\frac{1}{4}$ lbs.



LATCH

No. W1123

No. W1123 $\frac{1}{2}$ " — Brass Knob
Also available for $\frac{1}{2}$ "
lipped doors. Plate size: $2\frac{1}{2}$ x $1\frac{1}{4}$ ".
One in envelope with pyramid
screws. One dozen in box —
 $1\frac{1}{2}$ lbs.



STRAP HINGE

No. W1858 — Sizes: $0\frac{1}{2}$ " — $4\frac{1}{2}$ " x $9\frac{1}{2}$ " — $13\frac{1}{2}$ "

No. W1859 — Sizes: $9\frac{1}{2}$ " — $13\frac{1}{2}$ "

*These sizes available for $\frac{1}{2}$ " lipped doors.

One pair in envelope with pyramid screws.



H-HINGE

No. W857 — Sizes: $2\frac{1}{2}$ ",
 $3\frac{1}{2}$ " x $4\frac{1}{2}$ "

No. W557 — Size: $7\frac{1}{2}$ " only

Specify for $1\frac{1}{2}$ " or

$\frac{1}{2}$ " door.

*This size available for

$\frac{1}{2}$ " lipped door.

One pair in envelope

with pyramid screws.



H-HINGE

No. W858 — Sizes: $2\frac{1}{2}$ " x $2\frac{1}{2}$ ",

$4\frac{1}{2}$ " x $7\frac{1}{2}$ "

No. W558 — Size: $7\frac{1}{2}$ " only


Specify for $1\frac{1}{2}$ " or $1\frac{1}{4}$ " door

*This size available for

$\frac{1}{2}$ " lipped door.

One pair in envelope with

pyramid screws.



Either half or full surface

No. W1858



No. W1859



No. W857



No. W557



No. W858



No. W558

STANLEY

FINISH SYMBOLS:

| | |
|------|-----------------|
| ALD | Safety aluminum |
| AS | Super brass |
| C | Bright brass |
| CM | Bright chrome |
| CMAD | Bright chrome |
| DB | Antique copper |
| F | Satin brass |
| FB | Antique brass |
| JB | Antique black |
| K | Bright zinc |
| P | Prime coat |

THE STANLEY WORKS
CABINET HARDWARE DIVISION

New Britain, Conn., U.S.A.

